


RS1304/1604 WHEELED TRACTOR

ZOOMLION

Know What You Know, Think What You Think!

There are no identical farms in the world, and the needs of farmers are different, and therefore, tractors suitable for a variety of applications will undoubtedly become the first choice for farmers; Zoomlion RS series tractor is such a good choice for you, which, with wide application range and high compatibility with various implements such as folding harrows and reversible plow, is able to meet different needs of customers.



Specifications and dimensions





Model	RS1304/1604
Engine	
Number of cylinders/aspiration mode	6-cylinder/turbocharged
Emission	China III
Calibrated power/speed (rpm)	95.6/117.6kW 2300rpm
Fuel consumption	≤250g/kW.h
Fuel tank capacity	220L (standard)/300L (optional)
Displacement	6.5L
Transmission	
Type	Meshing sleeve gearshift
Number of gears	16F+8R
Hydraulic system	
Type	Split
Number of output valves (Group)	2 groups (standard)/3 groups (optional)
Single-circuit hydraulic output flow	70L/min
Hydraulic lifter	
Tillage depth control mode	Position control, height control, forced control
Maximum lifting force (610 mm behind rear end)	≥35kN
Hitch mechanism	
Type	CAT II three-point rear-mounted hitch
PTO shaft	
PTO output power	85/104kW
Speed (rpm)	540/1000rpm
PTO shaft specification	6-tooth rectangular spline shaft (diameter 35)

Specifications and dimensions





Model	RS1304/RS1604
Machine specifications	
Length × width × height	5200×2435×3250
Wheelbase	2640mm
Minimum ground clearance	450mm
Gross weight	
Minimum operating weight	5810kg
Tire	
Tire size (front/rear)	14.9-26/18.4-38
Front wheel track	1800mm
Rear wheel track	1850mm
Counterweight	
Front counterweight	13×40kg
Rear counterweight	2 layers, 480kg
Steering	
Minimum turning radius	5.8m
Turning angle	40°
Others	
Traction force	51kN
Safety frame or cab	Cab with air conditioner
Pneumatic brake	N/C
Type of clutch	Dry-type independently-operated double-acting clutch
Type of brake	Wet-type disc brake (Number of brake linings: 1, outer diameter: 344mm)

THANKS

Find us on social media

FACEBOOK TWITTER YOUTUBE LINKEDIN INSTAGRAM

en.zoomlion.com
e-sales@zoomlion-hm.com
(0086) 553-5631723